


Razor Blade Glass Scraper



Scraper is completely retractable and corrosion resistant. Holder holds one single-edged razor blade at a time. Includes blade lock and five standard, single-edged razor blades. Scraper is 1-5/8" wide and 1/4" thick. Hyde P/N 13050, Allway Tools P/N G-S, Warner P/N 106, Red Devil P/N 3222 or equal.

5110-00-997-4237 EA \$0.75

Ship Scraper

Hardened and tempered high-carbon steel scraper removes paint and scale from finished surfaces. Double ended scraper has an all-metal design. One end is a flat, widened working edge and the other end is bent downward at a 90 deg. angle. Each end is forged, hardened, tempered and ground to a double-beveled scraping edge. Blade is 1-3/4" wide and 15" long. GGG-S-116.

5110-00-240-3094 EA \$4.43


ADJUSTABLE-JOINT PLIERS

Adjustable-Joint Pliers

Repairs are easy with these pliers. Multiple tongue and groove adjustments. Straight jaws. Pliers are drop forged from alloy steel and chrome plated with cushion-grip handles. ANSI B107.23M.

Minimum work capacity 4-4/4". Has 11 adjustment positions. Jaw length 2-1/8".

5120-00-781-0820 16" overall length EA \$19.95



Minimum work capacity is 1/2", jaw length is 5/16". Has three adjustment positions.

5120-00-278-0350 4-1/2" overall length EA \$6.66

Minimum work capacity is 1-3/16", jaw length is 7/8". Has four adjustment positions.

5120-00-278-0351 8" overall length EA \$8.72



Minimum work capacity is 1-3/4", jaw length is 1-1/16". Has five adjustment positions.

5120-00-278-0352 10" overall length EA \$9.78

Minimum work capacity 2-1/8", jaw length is 1-7/16". Has five adjustment positions.

5120-00-781-0819 12" overall length EA \$13.52

Adujustable-Joint Pliers (Angle Nose)

Angle-nose plier has multiple tongue and groove adjustments with self-adjusting jaws. PVC handle grips.

5120-01-429-4952 6" overall length EA \$19.14




5120-01-354-6331 9-1/2" overall length \$22.34

As a valued GSA customer, your comments are important to us!
Please fill out and return the Comment Card at the back of the catalog.

DIAGONAL CUTTING PLIERS

Diagonal Cutting Pliers



General-purpose diagonal cutting pliers designed for cutting wires, nails, pins, screws or light metal. Forged from alloy steel with polished heads. Furnished with standard cutting edges. ANSI B107.11M (TY 1; CL 1; ST A). Has comfort, cushion-grip handles.

Has cushion-grip handles.

5110-00-618-2700	4-1/2" overall length	EA	\$7.41
5110-00-239-8253	6" overall length	EA	\$7.69
5110-00-222-2708	7-1/2" overall length	EA	\$7.84



5110-00-935-0890	4" overall length	EA	\$6.79
------------------	-------------------	----	--------

Diagonal Cutting Pliers (Cushion Throat)

Diagonal cutting pliers have a cushion throat to catch clipped wire ends. Finished with cushion-grip handles. ANSI B107.11M.

5110-00-293-3210	7-1/2" length	EA	\$13.10
------------------	---------------	----	---------

Shipment in 24 hours is our commitment, with many orders shipped the same day and delivered the next, with no extra charges because the prices you see already include shipping and handling.

Diagonal Cutting Pliers (High Leverage)



Heavy-duty, high-leverage cutter cuts bolts, nails, light metal and heavy-gage wire. Forged from alloy steel and with polished heads, pliers have standard cutting edges. Cushion-grip handles. ANSI B107.11M.

Pliers have a 9/16" jaw length, 7/16" joint thickness, 11/16" joint width and measure 6" long.

5110-00-596-7164	EA	\$9.26
------------------	----	--------

Handles are bent 15 deg. to permit use in confined areas. Pliers have a 13/16" jaw length, 3/8" joint thickness, 1-1/8" joint width and measure 8" long.

5110-01-089-1240	EA	\$12.08
------------------	----	---------

Diagonal Cutting Pliers (Stripping Notches)

For stripping insulation from wire. Diagonal cutting pliers have W-shaped notches on outside edges of the jaws and a skinning hole. Furnished with cushion-grip handles. ANSI B107.11M.

5110-00-224-1532	6" length	EA	\$7.78
------------------	-----------	----	--------

Diagonal Cutting Pliers

Bowed handles.

Vinyl grips.

3/4" jaw length.

5110-01-367-4650	6-1/8" length	EA	\$15.28
------------------	---------------	----	---------

ELECTRONIC PLIERS AND CUTTERS

Electronic Cutter (Diagonal)



For cutting in limited access areas. Midget electronic cutter has a tapered and relieved head style and flush cutting edges. Furnished with jaw-opening spring and cushion-grip handles. Cutter has a 7/16" jaw length, 1/4" joint thickness, 7/16" joint width and measures 4" long. ANSI B107.22M.

5110-00-878-6519	EA	\$8.40
------------------	----	--------

Electronic Pliers (Needle Nose)

Needle nose pliers loop and twist wire. Also use for light precision work. Drop forged steel pliers have polished heads. Furnished with jaw-opening spring and cushion-grip handles.

Smooth jaws. Pliers have a 2-1/4" jaw length, 19/64" jaw thickness, 33/64" jaw width and 1/16" point thickness. Measure 6-1/2" long. Snap-on P/N E701 ACG, Cooper P/N NN777-6CG or equal.

5120-00-878-6518 EA **\$11.59**

LINEMAN'S PLIERS**Lineman's Pliers**

The tool of choice for all-purpose wire and cable work. Side-cutting lineman's solid-joint pliers are made of drop forged steel with polished heads and an insulation crusher in handle.

Pliers have a square-nose style and cushion-grip handles.

Pliers have a 1-1/2" jaw length, 1-9/32" jaw width, 5/8" jaw thickness.

5120-00-239-8251 8" length EA **\$6.84**

5120-00-247-2063 6" overall length EA **\$12.33**

Pliers have a square-nose style and insulated, high-dielectric handle grips.

Pliers have a 1-1/2" jaw length, 1-9/32" jaw width, 5/8" jaw thickness and measures 8" long.

5120-00-756-1156 EA **\$10.48**



Pliers have a square-nose style and cushion-grip handles.

Pliers have a 1-1/4" jaw length, 7/8" jaw width, 1/2" jaw thickness and measure 6" long.

5120-00-239-8254 EA **\$8.86**

LONG NOSE PLIERS**Long Nose Pliers**

Flat gripping surface is ideal for forming, bending and handling small objects and reaching into openings. Pliers are made of forged steel, have scored jaws and are furnished with cushion-grip handles. ANSI B107.13M.

Without side cutter.

5120-00-268-3579 6" length EA **\$7.10**

5120-00-293-0032 7" length EA **\$9.32**

With side cutter.

5120-00-247-5177 6" length EA **\$8.50**

NEEDLE NOSE PLIERS**Needle Nose Pliers (Curved)**

Solid-joint pliers have a curved (75 deg.), tapered nose for reaching over and between components. Have polished heads, scored jaws and cushion-grip handles. Made of drop forged steel. Pliers have a 1-1/2" jaw length, 11/16" jaw width, and 3/8" jaw thickness. Measures 6" long. ANSI B107.13M.

5120-00-239-8250 EA **\$8.47**

Needle Nose Pliers (Long)

Straight, round, tapered nose pliers bend wire, grip small objects and reach into small openings. Forged steel solid-joint pliers have polished heads, scored jaws and cushion-grip handles. Pliers have a 2-3/8" jaw length, 11/16" jaw width, and 11/32" jaw thickness. Measure 6-1/2" long. ANSI B107.13M.

Without side cutter.

5120-00-293-3481 EA **\$7.07**




With side cutter.

5120-00-184-9403 EA **\$14.21**

NIPPERS AND PINCERS

Farriers Pincer



Heavy-duty drop forged steel pincer is for demanding construction jobs. Tool develops high leverage to cut large diameter nails and wire, and has straight handles with a polished head. Pincer has a 25/32" jaw thickness, 2-5/32" jaw width and 41/64" jaw depth. Measures 10" long. Diamond Tool and Horseshoe P/N GG010 or equal.

5120-00-595-8441

EA \$18.73

RETAINING RING PLIERS

Retaining Ring Pliers (Replaceable Tip)



Retaining ring pliers have spring-loaded double-ratchet mechanism that minimizes operator fatigue by allowing the ring to be compressed or expanded through gradual moves. Pliers can be locked and released in any position within its collapsing or expanding capacity. The locking arrangement is spring loaded and capable of being released with the hand maintaining a grip on the handle. Pliers have replaceable plate-stock-type tips. ANSI B107.19.

Internal pliers have straight tips with a 0.120" tip diameter. Fits basic rings 3.062 to 6.250" and inverted rings 3.156 to 4.000".

5120-00-293-0186

16" length

EA \$30.33

For Customer Service, call 1-800-488-3111.

SHORT NOSE PLIERS

Short Nose Pliers

Pliers have flat gripping surfaces for forming, bending and handling small objects and reaching into openings. Forged steel pliers have scored jaws and are furnished with cushion-grip handles. ANSI B107.13M.

Without side cutter.


Pliers have a 1-1/2" jaw length, 7/16" jaw thickness, 5/8" jaw width, 1/16" point thickness and measure 6" long.

5120-00-240-6172

EA \$12.58

SLIP-JOINT PLIERS

Slip-Joint Pliers



Chromium plated, vinyl grips.

Four maximum jaw positions.

1-3/8" parallel opening.

5120-01-335-1559

8-3/4" length

EA \$21.04

Five maximum jaw positions.

1-3/8" parallel opening.

5120-01-335-1561

9-1/4" length

EA \$21.93

**We're open 7:30 am to 8:00 pm Eastern
time to take your order by phone.**

Slip-Joint Pliers (Straight Nose)

Straight nose combination slip-joint pliers have flat gripping surface with fine teeth, a curved center jaw section with sharp teeth and a shear type wire cutter located in the throat. Two-position slip-joint permits jaws to be opened wider. Chrome-plated forged steel pliers have polished heads. Furnished with cushion-grip handles. ANSI B107.23M.

Regular nose.

5120-00-223-7397

8" length

EA \$6.02

5120-00-223-7398

10" length, 17/32" jaw thickness

EA \$7.42

**Order On-line with GSA Advantage!,
www.fss.gsa.gov**



5120-00-223-7396 6" length, 3/8" jaw thickness EA \$5.16



Thin nose combination slip-joint pliers give increased access to confined work spaces.

5120-00-224-1567 6-1/4" length, 3/16" jaw thickness EA \$5.02

SPECIAL PURPOSE PLIERS

Airlock Pliers



Roller-type pliers are for inserting and knocking out No. 5 Airlock cross-pins. Monadnock P/N 9996Z, Harry Stewart P/N 600 or equal.

5120-00-370-4021 12" length, 5/8" jaw thickness EA \$141.06


Cable Clamp Pliers



Great for installing single or multiple loop line clamps. Pliers retain clamps over conduit, wiring or pipes, leaving hands free to screw retaining nut to clamp bolt. Slip joint provides 3/4" adjustment, and lower jaw contains a mechanism for firmly holding clamp in closed position and clamp bolt rigid while nut is tightened. Forged steel with a rust-preventive coating. Length is 7 to 8". GGG-P-477.

5120-00-770-9362 EA \$46.59

Fencing Pliers



Combination tool acts as a staple puller, splicer, wire cutter, pincer and hammer. Specifically for installing and maintaining wire fence on metal or wooden posts. This design includes two side wire cutters, two eyes for twisting and splicing wire, a hammer head on the outside of one jaw and a pulling point on the other. Has cushion-grip handles. 3/4" jaw length and 9/16" jaw thickness with 3" head width. Length is 10". ANSI B107.20.

5120-00-293-3485 EA \$22.69

Hose Clamp Pliers



Pliers install and remove wire spring tension clamps used on automotive and industrial hose applications. Has slip joint adjustment and can install and remove clamps having a 2" or less inner diameter.

5120-00-537-3375 8" length EA \$8.16

Parallel Jaw Pliers



Parallel jaw pliers feature compound-leverage construction with parallel action jaws, a side cutter, an open throat and a longitudinal groove in one of the jaws suitable for gripping and pulling wire and straightening small pins. Serrated jaws give a positive gripping surface. Furnished with cushion-grip handles. Pliers have a 3-3/64" jaw length, 3/8" jaw thickness and 17/32" jaw opening. Measure 6-1/2" long. Milbar P/N 36243 or equal.

5120-00-224-1541

EA \$21.33

Pliers

Straight, round, tapered nose pliers bend wire, grip small objects and reach into small openings. Forged steel solid-joint pliers have polished heads, scored jaws and cushion-grip handles.

1-5/16" jaw length, duckbill jaws, vinyl grips.

5120-01-367-4646

P/N 61CP 7-3/4" length

EA \$15.62

VICE GRIPS

Vise Grip Pliers



Pliers function as a portable vise clamp, adjustable end wrench or locking pliers. Use to securely hold hexagonal and square nuts and bolts, rods, tubing or sheet metal with a positive grip. Pliers adjust easily and lock at any size within its capacity with desired amount of jaw pressure. Convenient release lever opens jaws. Made of alloy steel for maximum strength and durability. With a nickel-plated finish. GGG-W-649.

Pliers have straight jaws, without wire cutter.

5120-00-277-4243

1-1/2" jaw opening, 7" length

EA \$6.22

5120-00-277-4244

1-3/4" jaw opening, 8-1/2" length

EA \$6.01

GSA offers:

- * Convenience
- * Quality Products
- * Competitive Prices



Pliers have curved jaws, with wire cutter.

5120-00-494-1911

1-7/8" jaw opening, 8-1/2" length

EA \$6.42

5120-00-494-1910

1-1/2" jaw opening, 7" length

EA \$5.79

5120-00-965-0604

1-1/8" jaw opening, 5-1/2" length

EA \$5.35

WIRE TWISTER PLIERS

Wire Twister Pliers

Pliers provide fast twisting of safety wire. Wire twisting applications include work on critical components of aircraft and vehicles. Pliers have right-hand (clockwise) twist and a diagonal (standard) nose configuration for hard-to-reach areas. Furnished with cutter. Jaws lock in the closed position and have serrated gripping surfaces. Spiraling mechanism welded to one handle produces a close, uniform twist in safety wire when rod is pulled and pliers rotate. Maximum wire capacity is 0.060". ANSI B107.18M.

Produces four revolutions per pull. Pliers have hand-push twist-rod return. Measures 12" long.

5120-00-542-4171

EA \$31.14



Produces three revolutions per pull. Pliers have hand-push twist-rod return. Measures 9" long.

5120-00-305-2306

EA \$24.17